

THRONE OIL 10W-40

Lpg Series Engine Oils

Description:

It is a high performance engine oil developed for LPG vehicles using synthetic technology.

Usage Areas:

It is suitable for use in passenger cars and LPG powered engines.

Benefits and Advantages Provided:

- It provides optimal engine performance and oil pressure at all speeds.
- It reduces the adverse effects on the motor by means of the improved wear protection, thus extending service life and oil change interval.
- By means of its high viscosity index, it provides superior protection for all seasons.
- It provides excellent protection against oxidation, wear, corrosion and rust.
- It provides excellent protection by keeping its viscosity in different climate and driving conditions.

Performance: It compensates the performance specifications API SL/SJ/CF, ACEA A3/B3; MB 229,3; VW 500.00/505.00.

lubricants  greases

Typical Properties:

Physical Property	Method	10W-40
Density, g/cm ³ , 15°C	ASTM D 4052	0,870
Kin. Viscosity, cSt, 40°C	ASTM D 445	95,6
Kin. Viscosity, cSt, 100°C	ASTM D 445	14,1
Viscosity Index	ASTM D 2270	153
Pour Point, °C	ASTM D 97	-30
Flash Point, °C	ASTM D 92	220

** The values given in the table are typical and they may vary from production to production.*